

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11326	370/241,242,252,419-421,426,445,446,463,527.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 15:43
L3	3244	375/222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 15:44
L4	11217	340/505,506,568.1,568.2,568.4,572.1,573.1,573.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 15:44
L5	25642	1 3 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 15:44
L6	8815	monitor\$3 same remote same identif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 15:44
L7	514	5 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 15:44
L8	1621	6 same (attached or connected)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 15:45

L9	121	5 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 15:45
L10	4	austermann near2 john.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 16:32
L11	1	((central adj module) and (remote adj module) and (variable adj impedance)) .clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 16:36
L12	0	((central adj module) and (remote adj module) and current and alter). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 16:39
S1	1819	monitor\$3 same (high adj1 frequency) same (low adj1 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:17
S2	2	monitor\$3 same (high adj1 frequency) same (low adj1 frequency) same (status adj1 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:40
S3	20	monitor\$3 same (low adj1 frequency) same (status adj1 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:46
S4	6756	remote adj1 (sensor or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:46

S5	1558	S4 same (attached or connected)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:47
S6	118	(equipment or pc) same S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:50
S7	30	monitor\$3 same S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:53
S8	7068	monitor\$3 same remote same identif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:54
S9	280	monitor\$3 same remote same (identif\$5 adj1 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:54
S10	0	monitor\$3 same remote same (identif\$5 adj1 information) same (low adj1 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:55
S11	301	monitor\$3 same remote same (low\$2 adj1 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:57
S12	6756	remote adj1 (sensor or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:59

S13	7672	monitor\$3 same (low\$2 adj1 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:57
S14	2823	monitor\$3 with (low\$2 adj1 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:57
S15	12	S12 same S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:58
S16	84149	(attach\$3 or connect\$3) with (personal adj1 computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:05
S17	6	S12 with S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:01
S18	234	S12 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:04
S19	24	S12 same S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:04
S20	2124894	(attach\$3 or connect\$3) with (equipment or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:07

S21	263	S12 with S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:10
S22	55	monitor\$4 same S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:16
S23	38906	monitor\$4 same status same (equipment or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:21
S24	1441	monitor\$4 same status same remote near2 (equipment or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:26
S25	12	S24 same ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:23
S26	234	S24 and ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:25
S27	3168	monitor\$4 same (status or condition) same remote near2 (equipment or device\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:28
S29	4109	monitor\$4 same (status or condition) same (remote\$2 or local\$2) near2 (equipment or device\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:28

S30	3550	monitor\$4 same (status or condition) same remote\$2 near2 (equipment or device\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:20
S31	947	@ad<"19980410" and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:46
S32	831	monitor\$3 same (personal adj1 computer\$1) same ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:11
S33	147	@ad<"19980410" and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:51
S34	211	monitor\$3 same (remote\$2 near3 computer\$1) same ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:54
S35	19	@ad<"19980410" and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:54
S36	818	monitor\$3 same (remote\$2 near3 computer\$1) same status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 13:54
S37	239	@ad<"19980410" and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 15:32

S38	174	ethernet same central same remote same monitor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:09
S39	2630	computer\$1 same transm\$5 same (identification adj1 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:12
S40	61	computer\$1 same transm\$5 same (identification adj1 information) same central same remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:14
S41	3879	ethernet and (high\$2 near2 frequency) and (low\$2 near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:16
S42	119	ethernet same (high\$2 near2 frequency) same (low\$2 near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:23
S43	3606	(high\$2 near2 frequency) same (low\$2 near2 frequency) same monitor \$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:24
S44	26	(high\$2 near2 frequency) same (low\$2 near2 frequency) same monitor \$ with remote\$2 with (equipment or device\$1 or computer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:31
S45	365	monitor\$3 near2 (data or information) same (low\$2 near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 15:21

S46	2394	monitor\$3 near3 remote\$3 near3 computer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 15:30
S47	582	@ad<"19980410" and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 15:56
S48	0	S46 same xdsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 15:30
S49	150	xdsl same monitor\$3 same (equipment or device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 15:31
S50	8	@ad<"19980410" and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 15:40
S51	2	"6650622".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 15:40
S52	1	(power adj1 modulator) and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 15:52
S53	16575	(prevent\$3 or detect\$3) same (remov\$3 or thief) same computer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 15:55

S54	3472	(prevent\$3 or detect\$3) with (remov\$3 or thief) with computer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 15:55
S55	1164	@ad<"19980410" and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 15:56
S56	9769	370/241,242,252,419-421,426,445,446,463,527.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:15
S57	5031	375/222	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:16
S58	9464	340/505,506,568.1,568.2,568.4,572.1,573.1,573.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:37
S59	23964	S56 or S57 or S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:17
S60	1861	monitor\$3 same (high adj1 frequency) same (low adj1 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:18
S61	34	S59 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:19

S62	14138	(modulat\$4 or demodulat\$4 or transmi\$5 or recei\$4) with low with high with (rate or bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:21
S63	150	\$dsl same S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:35
S64	44	S59 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:33
S65	4	austermann near2 john.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:34
S66	7	cummings near2 marshall.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:34
S67	10636	370/241,242,252,419-421,426,445,446,463,527.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:13
S68	5375	375/222	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:13
S69	10463	340/505,506,568.1,568.2,568.4,572.1,573.1,573.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:14

S70	26160	S67 S68 S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:14
S71	3650	monitor\$4 same (status or condition) same remote near2 (equipment or device\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:15
S72	185	S70 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:15
S73	2	"6650622".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 13:12
S74	1	(low adj frequency) and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 13:13
S75	10863	370/241,242,252,419-421,426,445,446,463,527.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/06 14:12
S76	5484	375/222	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/06 14:12
S77	10716	340/505,506,568.1,568.2,568.4,572.1,573.1,573.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/06 14:12

S78	26744	S75 S76 S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/06 14:13
S79	352	monitor\$3 same remote same (identif\$5 adj1 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/06 14:13
S80	23	S78 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/06 14:13
S81	3734	monitor\$4 same (status or condition) same remote near2 (equipment or device\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/06 14:43
S82	190	S78 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/06 14:44
S83	4	austermann near2 john.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/06 16:02
S84	7	cummings near2 marshall.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/06 16:02
S87	1	((central adj module) and (remote adj module) and (variable adj impedance)) .clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/06 16:38

S88	0	((central adj module) and (remote adj module) and (variable adj impedance) and (high adj frequency) and (low adj frequency)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/06 16:39
S89	2	"6650622".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 08:55
S90	1	power and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:30
S91	1	transformer and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:33
S92	1	(center adj tap) and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:34
S93	1	hub and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:35
S94	0	(patch adj panel) and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:36
S95	0	patch and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:38

S96	1	(second adj power adj source) and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:38
S97	1	four and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:40
S98	1	attribute\$1 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:42
S99	1	configuration and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:43
S100	1	(physical adj configuration) and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:44
S101	1	capabilit\$4 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:44
S102	0	characteristic\$3 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:52
S103	0	ppredetermined and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:52

S104	1	predetermined and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:52
S105	0	(function near2 interrogation) and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:54
S106	1	voltage and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:57
S107	0	resistance and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:58
S108	0	resistance and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:58
S109	1	impedance and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:58
S110	1	ethernet and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 10:06
S111	2	"6650622".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:22

S113	1	connector and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:23
S114	1	(alter with current with flow) and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:25
S115	1	(port near location) and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:48
S116	0	(control near2 scheme) and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:49
S117	1	scheme and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:49
S118	0	(voltage near2 change) and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:53
S119	0	(voltage with change) and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:53
S120	0	(voltage with chang\$3) and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:54

S121	1	voltage and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:54
S122	0	resistance and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:55
S123	4575	normal with network with communication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:57
S124	1	S111 and S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:57
S125	0	prior and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:59
S126	0	(function near interrogation) and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:01
S127	0	(control adj circuit) and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:06
S128	2	"20040062203".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 13:56

S129	930596	connector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 14:28
------	--------	-----------	---	----	----	---------------------

8/ 29/ 2008 4:42:59 PM  
C:\ Documents and Settings\ shyun\ My Documents\ EAST\ Workspaces\ 10668708.wsp